

Press release

Bühlertann (Germany), August 28th, 2018

Maneuverable high grass mower: The new AS 62 4T B&S

Mowing on meadow orchards, or in garden areas is sometimes equivalent to negotiating an obstacle course. To remain comfortable in spite of the curves, a mower should not only be powerful, it should also be easy to manoeuvre. The AS 62 4T B&S from AS-Motor Germany GmbH & Co. KG meets these requirements.

The AS 62 4T B&S is designed for agile driving behaviour. This is a result of the drive concept without a permanently locked drive axle that was developed for this mower. In addition in order to easily steer and turn, the front wheels are movable; however they can also be arrested for comfortable lengthwise driving on slopes. The V-handlebar is laterally adjustable, which means that the operator can easily avoid obstacles: Whether thorn bushes, low-hanging branches, or walls, the operator stays a comfortable distance away from these obstacles. The AS 62 4T B&S mows and mulches growth up to 90 centimetres and thanks to a 1:1.6 engine-blade reduction it has a high cutting capacity in dense growth.

Compact yet powerful

With a cutting width of 61 centimetres it offers a work rate of approximately 2,440 square metre an hour. Thanks to its capacity and cutting force it is also well-suited for medium-sized surfaces and hilly terrain. The smooth running 4-stroke engine from Briggs & Stratton with 5.5 hp maximum power ensures a drive speed between 1.9 and 4.0 km/h. When mowing the speed regulator on the handlebar enables variable adjustment of the drive speed. The height-adjustable bar and the damping of the V-handlebar, which reduces hand-arm vibration to a minimum also contribute to the high level of mowing comfort. Cutting height between 50 and 100 millimetres can be variably adjusted on the front axle and adjusted in five levels on the rear axle. The AS 62 4T B&S can also be easily transported: When the bar is folded-in the 65 kilogram device is reduced in size to compact transport dimensions (96x70x74 centimetres) and even fits in the rear of an estate car.

A closed mowing deck protects the user

For strong forward driving also on hilly terrain or gentle slopes, extra large drive wheels (diameter 30 centimetres) were used for the AS 62 4T B&S. The conical, closed mowing deck ensures that the grass is fed into the blades, and at the same time it protects the operator from rocks or other foreign objects. The material to be mowed is chopped and discharged to the rear. For improved engine protection the blades and the engine shaft are separated from each other by the blade clutch. If the blade strikes roots or rocks, the impact is dampened and is not transmitted to the crankshaft. Thus cost-intensive repairs are avoided. The AS 62 4T B&S is the right choice for users that need a strong, compact and maneuverable meadow mower for hilly terrain as well. Those who need a little more power for working on steeper slopes, can rely on the AS 63



Press release

2T ES with 2-stroke engine, limited slip differential and automatic speed limitation when driving downhill.

More information at www.as-motor.com.

((Intro text & continuous text: approx.3.270 characters, including spaces))



YouTube channel:

<https://www.youtube.com/channel/UCLqXsENxtcHxyEQ4zUO147g>

About AS-Motor Germany GmbH & Co. KG:

AS-Motor Germany GmbH & Co. KG, headquartered in Bühlertann, Germany has been developing and producing special motorised devices for garden and landscape care since 1959 and has coined the term Allmäher. The AS devices are made for extreme requirements, such as inclines of more than 35 degrees or high growth. The Swabian family company has more than 130 employees and manufactures the majority of the components itself.

More information at www.as-motor.com.

Image material:

(Attention, only screen resolution. Request print resolution at as-motor@pr-hoch-drei.de)



Photo 1: Maneuverable, strong and compact: the new AS 62 4T B&S meadow mower

Photo credits: AS-Motor Germany GmbH & Co. KG



Press release

We would be pleased to answer any questions. If you can use this information for your reporting, we would be pleased to receive a reference and/or a specimen copy. If you desire a specific trade article concerning this topic, or a specific aspect of the topic, please contact us.

Contact for editorial offices:

PR hoch drei GmbH
Ramona Riesterer
Turnhallenweg 4
79183 Waldkirch

Tel.: +49 76 81 - 49 22 5 - 11
as-motor@pr-hoch-drei.de
www.pr-hoch-drei.de

Contact for readers:

AS-Motor Germany GmbH & Co. KG
Luisa Oesterle
Ellwanger Straße 15
74424 Bühlertann

Tel.: +49 79 73 - 91 23 - 0
luisa.oesterle@as-motor.de
www.as-motor.com